

Author Index

- Abraham, W., see Dragunow, M. (36) 349
- Adan, R.A.H., Van der Kraan, M., Doornbos, R.P., Bär, P.R., Burbach, J.P.H. and Gispén, W.H.
Melanocortin receptors mediate α -MSH-induced stimulation of neurite outgrowth in Neuro 2A cells (36) 37
- Afar, R., Silverman, R., Aguanno, A. and Albert, V.R.
Positive and negative elements contribute to the cell-specific expression of the rat dopamine β -hydroxylase gene (36) 79
- Agnati, L.F., see Dasgupta, S. (36) 292
- Aguanno, A., see Afar, R. (36) 79
- Albert, V.R., see Afar, R. (36) 79
- Arenas, E., see Dasgupta, S. (36) 292
- Ashworth, R.G., see Margolis, R.L. (36) 219
- Augood, S.J., see Harrington, K.A. (36) 157
- Bär, P.R., see Adan, R.A.H. (36) 37
- Barone, F.C., see Fan, L. (36) 287
- Battenberg, E., see Morales, M. (36) 251
- Becker, L.E., see Marks, A. (36) 343
- Becker, W., Butini, M., Limonta, S., Boddeke, H. and Joost, H.G.
Distribution of the mRNA for protein phosphatase T in rat brain (36) 23
- Bedell, M.A., see Nagasawa, M. (36) 1
- Björås, M., Gjesdal, O., Erickson, J.D., Torp, R., Levy, L.M., Ottersen, O.P., Degree, M., Storm-Mathisen, J., Seeberg, E. and Danbolt, N.C.
Cloning and expression of a neuronal rat brain glutamate transporter (36) 163
- Bleuel, Z., see Luque, J.M. (36) 357
- Bloom, F.E., see Morales, M. (36) 251
- Boddeke, W.J., see Becker, W. (36) 23
- Born, W., see Eggenberger, M. (36) 127
- Burbach, J.P.H., see Adan, R.A.H. (36) 37
- Buttini, M., see Becker, W. (36) 23
- Cambray-Deakin, M.A., see Przyborski, S.A. (36) 179
- Cansino, V.V., see Kohn, D.T. (36) 240
- Cheetham, J.E., Martzen, M.R., Kazee, A.-M. and Coleman, P.D.
Gap-43 message levels in anterior cerebellum in Alzheimer's disease (36) 145
- Chen, D.-Z., see Ohkuma, S. (36) 137
- Chiaramello, A., see Haire, M.F. (36) 174
- Chung, W.J., see Kindler, S. (36) 63
- Cloëz-Tayarani, I., Wusher, N., Huerre, M. and Fillion, G.
Cellular localization of 5-HT_{1B} receptor mRNA in the rat olfactory tubercle: do GABAergic neurons express the 5-HT_{1B} gene? (36) 337
- Coleman, P.D., see Cheetham, J.E. (36) 145
- Combe, C., see Goujon, E. (36) 53
- Copeland, N.G., see Nagasawa, M. (36) 1
- Crawley, J.N., see Holmes, P.V. (36) 184
- Curran, G.L., see Poduslo, J.F. (36) 280
- Danbolt, N.C., see Björås, M. (36) 163
- Dantzer, R., see Goujon, E. (36) 53
- Dasgupta, S., Li, X.-M., Jansson, A., Finnman, U.-B., Matsui, T., Rinken, A., Arenas, E., Agnati, L.F. and Fuxe, K.
Regulation of dopamine D₂ receptor affinity by cholecystokinin octapeptide in fibroblast cells cotransfected with human CCK₈ and D₂ L receptor cDNAs (36) 292
- De Erasquin, G., see Isaacs, K.R. (36) 114
- Degree, M., see Björås, M. (36) 163
- De Lecea, L., see Morales, M. (36) 251
- Dohanics, J., see Hoffman, G.E. (36) 201
- Domowicz, M., see Li, H. (36) 309
- Doornbos, R.P., see Adan, R.A.H. (36) 37
- Dragunow, M., Abraham, W. and Hughes, P.
Activation of NMDA and muscarinic receptors induces *nur-77* mRNA in hippocampal neurons (36) 349
- Dwyer, B.E., see Nishimura, R.N. (36) 227
- Eggenberger, M., Flühmann, B., Muff, R., Lauber, M., Lichtensteiger, W., Hunziker, W., Fischer, J.A. and Born, W.
Structure of a parathyroid hormone/parathyroid hormone-related peptide receptor of the human cerebellum and functional expression in human neuroblastoma SK-N-MC cells (36) 127
- Ehlenfeldt, R., see Pavlov, O. (36) 268
- Emson, P.C., see Harrington, K.A. (36) 157
- Erickson, J.D., see Björås, M. (36) 163
- Falkenberg, T., see Zachrisson, O. (36) 169
- Fan, G., see Wick, M.J. (36) 322
- Fan, L., Young, P.R., Barone, F.C., Feuerstein, G.Z., Smith, D.H. and McIntosh, T.K.
Experimental brain injury induces differential expression of tumor necrosis factor- α mRNA in the CNS (36) 287
- Feuerstein, G.Z., see Fan, L. (36) 287
- Fillion, G., see Cloëz-Tayarani, I. (36) 337
- Finnman, U.-B., see Dasgupta, S. (36) 292
- Fischer, J.A., see Eggenberger, M. (36) 127
- Flühmann, B., see Eggenberger, M. (36) 127
- Follesa, P., see Hu, X.-J. (36) 211
- Foster, O.J.F., see Harrington, K.A. (36) 157
- Furuyama, T., Inagaki, S., Iwahashi, Y., Wanaka, A. and Tohyama, M.
Localization of mRNAs for Rlim-1, the rat Xlim-1 homolog, in the developing rat brain (36) 152
- Fuxe, K., see Dasgupta, S. (36) 292
- Garner, C.C., see Kindler, S. (36) 63
- German, D.C., see Ng, M.C. (36) 329
- Gispén, W.H., see Adan, R.A.H. (36) 37
- Gjesdal, O., see Björås, M. (36) 163
- Goujon, E., Parnet, P., Layé, S., Combe, C. and Dantzer, R.
Adrenalectomy enhances pro-inflammatory cytokines gene expression, in the spleen, pituitary and brain of mice in response to lipopolysaccharide (36) 53
- Grothe, C., see Meisinger, C. (36) 70
- Grudt, T.J., Usowicz, M.M. and Henderson, G.
Ca²⁺ entry following store depletion in SH-SY5Y neuroblastoma cells (36) 93
- Guo, Y., see Kaplan, I.V. (36) 12
- Haire, M.F. and Chiaramello, A.
Transient expression of the basic helix-loop-helix protein NSCL-2 in the mouse cerebellum during postnatal development (36) 174
- Hanbauer, I., see Isaacs, K.R. (36) 114
- Harrington, K.A., Augood, S.J., Kingsbury, A.E., Foster, O.J.F. and Emson, P.C.
Dopamine transporter (DAT) and synaptic vesicle amine transporter (VMAT2) gene expression in the substantia nigra of control and Parkinson's disease (36) 157
- Hayashi, T., see Noga, M. (36) 261
- Henderson, G., see Grudt, T.J. (36) 93
- Hendrickson, A., see Luque, J.M. (36) 357
- Hennig, A., see Li, H. (36) 309
- Hertenstein, A., see Meisinger, C. (36) 70
- Hoffman, G.E., Dohanics, J., Watson Jr., R.E. and Wiegand, S.J.
The hypothalamic ventromedial nucleus sends a met-enkephalin projection to the preoptic area's periventricular zone in the female rat (36) 201
- Holmes, P.V. and Crawley, J.N.
Olfactory bulbectomy increases preprogalanin mRNA levels in the rat locus coeruleus (36) 184

- Horn, S., see Pavlou, O. (36) 268
- Hu, X.-J., Follesa, P. and Ticku, M.K.
Chronic ethanol treatment produces a selective upregulation of the NMDA receptor subunit gene expression in mammalian cultured cortical neurons (36) 211
- Huerre, M., see Cloëz-Tayarani, I. (36) 337
- Hughes, P., see Dragunow, M. (36) 349
- Hunziker, W., see Eggenberger, M. (36) 127
- Iacopino, A.M., see Ng, M.C. (36) 329
- Inagaki, S., see Furuyama, T. (36) 152
- Isaacs, K.R., De Erausquin, G., Strauss, K.I., Jacobowitz, D.M. and Hanbauer, I.
Differential effects of excitatory amino acids on mesencephalic neurons expressing either calretinin or tyrosine hydroxylase in primary cultures (36) 114
- Iwahashi, Y., see Furuyama, T. (36) 152
- Jacobowitz, D.M., see Isaacs, K.R. (36) 114
- Jansson, A., see Dasgupta, S. (36) 292
- Jenkins, N.A., see Nagasawa, M. (36) 1
- Joh, T.H., see Son, J.H. (36) 300
- Joost, H.G., see Becker, W. (36) 23
- Kaplan, I.V., Guo, Y. and Mower, G.D.
Immediate early gene expression in cat visual cortex during and after the critical period: differences between EGR-1 and Fos proteins (36) 12
- Katsura, M., see Ohkuma, S. (36) 137
- Kawakami, H., see Nakayama, T. (36) 189
- Kazee, A.-M., see Cheetham, J.E. (36) 145
- Kidwai, A.S., see Margolis, R.L. (36) 219
- Kindler, S., Müller, R., Chung, W.J. and Garner, C.C.
Molecular characterization of dendritically localized transcripts encoding MAP2 (36) 63
- Kingsbury, A.E., see Harrington, K.A. (36) 157
- Kobayashi, S., see Kumai, T. (36) 197
- Kohn, D.T., Tsai, K.-C., Cansino, V.V., Neve, R.L. and Perrone-Bizzozero, N.I.
Role of highly conserved pyrimidine-rich sequences in the 3' untranslated region of the GAP-43 mRNA in mRNA stability and RNA-protein interactions (36) 240
- Kumai, T., Tanaka, M., Watanabe, M., Nakura, H., Tateishi, T. and Kobayashi, S.
Elevated tyrosine hydroxylase mRNA levels in medulla oblongata of spontaneously hypertensive rats (36) 197
- Kuriyama, K., see Ohkuma, S. (36) 137
- Lamed, Y., see Paperna, T. (36) 101
- Lauber, M., see Eggenberger, M. (36) 127
- Layé, S., see Goujon, E. (36) 53
- Lei, M., see Marks, A. (36) 343
- Levy, L.M., see Björås, M. (36) 163
- Li, H., Domowicz, M., Hennig, A. and Schwartz, N.B.
S103L reactive chondroitin sulfate proteoglycan (aggrecan) mRNA expressed in developing chick brain and cartilage is encoded by a single gene (36) 309
- Li, S.-H., see Margolis, R.L. (36) 219
- Li, X.-M., see Dasgupta, S. (36) 292
- Liang, C.-L., see Ng, M.C. (36) 329
- Lichtensteiger, W., see Eggenberger, M. (36) 127
- Limonta, S., see Becker, W. (36) 23
- Lindfors, N., see Zachrisson, O. (36) 169
- Loh, H.H., see Wick, M.J. (36) 322
- Luque, J.M., Bleuel, Z., Hendrickson, A. and Richards, J.G.
Detection of MAO-A and MAO-B mRNAs in monkey brainstem by cross-hybridization with human oligonucleotide probes (36) 357
- Marches, F., see Ng, M.C. (36) 329
- Margolis, R.L., Li, S.-H., Young, W.S., Wagster, M.V., Stine, O.C., Kidwai, A.S., Ashworth, R.G. and Ross, C.A.
DRPLA gene (Atrophin-1) sequence and mRNA expression in human brain (36) 219
- Marks, A., O'Hanlon, D., Lei, M., Percy, M.E. and Becker, L.E.
Accumulation of S100 β mRNA and protein in cerebellum during infancy in Down syndrome and control subjects (36) 343
- Martzen, M.R., see Cheetham, J.E. (36) 145
- Matsui, T., see Dasgupta, S. (36) 292
- McIntosh, T.K., see Fan, L. (36) 287
- Meisinger, C., Hertenstein, A. and Grothe, C.
Fibroblast growth factor receptor 1 in the adrenal gland and PC12 cells: developmental expression and regulation by extrinsic molecules (36) 70
- Min, N., see Son, J.H. (36) 300
- Mishina, M., see Nagasawa, M. (36) 1
- Morales, M., Battenberg, E., De Lecea, L., Sanna, P.P. and Bloom, F.E.
Cellular and subcellular immunolocalization of the type 3 serotonin receptor in the rat central nervous system (36) 251
- Mori, K.J., see Nagasawa, M. (36) 1
- Mower, G.D., see Kaplan, I.V. (36) 12
- Muff, R., see Eggenberger, M. (36) 127
- Müller, R., see Kindler, S. (36) 63
- Nagasawa, M., Sakimura, K., Mori, K.J., Bedell, M.A., Copeland, N.G., Jenkins, N.A. and Mishina, M.
Gene structure and chromosomal localization of the mouse NMDA receptor channel subunits (36) 1
- Nakamura, S., see Nakayama, T. (36) 189
- Nakayama, T., Kawakami, H., Tanaka, K. and Nakamura, S.
Expression of three glutamate transporter subtype mRNAs in human brain regions and peripheral tissues (36) 189
- Nakura, H., see Kumai, T. (36) 197
- Narihara, H., see Ohkuma, S. (36) 137
- Neve, R.L., see Kohn, D.T. (36) 240
- Ng, M.C., Iacopino, A.M., Quintero, E.M., Marches, F., Sonsalla, P.K., Liang, C.-L., Speciale, S.G. and German, D.C.
The neurotoxin MPTP increases calbindin-D_{28k} levels in mouse midbrain dopaminergic neurons (36) 329
- Nishimura, R.N. and Dwyer, B.E.
Evidence for different mechanisms of induction of HSP70i: a comparison of cultured rat cortical neurons with astrocytes (36) 227
- Noga, M. and Hayashi, T.
Ubiquitin gene expression following transient forebrain ischemia (36) 261
- O'Hanlon, D., see Marks, A. (36) 343
- Ohkuma, S., Katsura, M., Chen, D.-Z., Narihara, H. and Kuriyama, K.
Nitric oxide-evoked [³H]-aminobutyric acid release is mediated by two distinct release mechanisms (36) 137
- Orr, H.T., see Pavlou, O. (36) 268
- Ottersen, O.P., see Björås, M. (36) 163
- Paperna, T., Lamed, Y. and Teichberg, V.I.
CDNA cloning of chick brain α -amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid receptors reveals conservation of structure, function and post-transcriptional processes with mammalian receptors (36) 101
- Parnet, P., see Goujon, E. (36) 53
- Pavlou, O., Ehlenfeldt, R., Horn, S. and Orr, H.T.
Isolation, characterization and in vivo analysis of the murine *calbindin-D_{28k}* upstream regulatory region (36) 268
- Percy, M.E., see Marks, A. (36) 343
- Perrone-Bizzozero, N.I., see Kohn, D.T. (36) 240
- Poduslo, J.F. and Curran, G.L.
Permeability at the blood-brain and blood-nerve barriers of the neurotrophic factors: NGF, CNTF, NT-3, BDNF (36) 280
- Przyborski, S.A. and Cambray-Deakin, M.A.
Developmental regulation of α -tubulin mRNAs during the differentiation of cultured cerebellar granule cells (36) 179
- Puchacz, E., Stumpf, W.E., Stachowiak, E.K. and Stachowiak, M.K.
Vitamin D increases expression of the tyrosine hydroxylase gene in adrenal medullary cells (36) 193
- Quintero, E.M., see Ng, M.C. (36) 329
- Richards, J.G., see Luque, J.M. (36) 357
- Rinken, A., see Dasgupta, S. (36) 292
- Ross, C.A., see Margolis, R.L. (36) 219
- Sakimura, K., see Nagasawa, M. (36) 1
- Sanna, P.P., see Morales, M. (36) 251
- Schwartz, N.B., see Li, H. (36) 309
- Seeborg, E., see Björås, M. (36) 163
- Silverman, R., see Afar, R. (36) 79
- Smith, D.H., see Fan, L. (36) 287
- Son, J.H., Min, N. and Joh, T.H.
Early ontogeny of catecholaminergic cell lineage in brain and peripheral neurons monitored by tyrosine hydroxylase-lacZ transgene (36) 300
- Sonsalla, P.K., see Ng, M.C. (36) 329
- Speciale, S.G., see Ng, M.C. (36) 329
- Stachowiak, E.K., see Puchacz, E. (36) 193
- Stachowiak, M.K., see Puchacz, E. (36) 193
- Stine, O.C., see Margolis, R.L. (36) 219
- Storm-Mathisen, J., see Björås, M. (36) 163
- Strauss, K.I., see Isaacs, K.R. (36) 114
- Stumpf, W.E., see Puchacz, E. (36) 193

- Takagi, T., see Taniguchi, H. (36) 45
- Tanaka, K., see Nakayama, T. (36) 189
- Tanaka, M., see Kumai, T. (36) 197
- Taniguchi, H., Tohyama, M. and Takagi, T.
Cloning and expression of a novel gene for
a protein with leucine-rich repeats in the
developing mouse nervous system (36) 45
- Tateishi, T., see Kumai, T. (36) 197
- Teichberg, V.I., see Paperna, T. (36) 101
- Ticku, M.K., see Hu, X.-J. (36) 211
- Tohyama, M., see Furuyama, T. (36) 152
- Tohyama, M., see Taniguchi, H. (36) 45
- Torp, R., see Bjørås, M. (36) 163
- Tsai, K.-C., see Kohn, D.T. (36) 240
- Usovicz, M.M., see Grudt, T.J. (36) 93
- Van der Kraan, M., see Adan, R.A.H. (36) 37
- Wagster, M.V., see Margolis, R.L. (36) 219
- Wanaka, A., see Furuyama, T. (36) 152
- Wang, H.-L. and Wu, T.
 $G_{\alpha q/11}$ mediates neurotensin excitation of
substantia nigra dopaminergic neurons (36)
29
- Watanabe, M., see Kumai, T. (36) 197
- Watson Jr., R.E., see Hoffman, G.E. (36) 201
- Wick, M.J., Fan, G. and Loh, H.H.
Expression of OBCAM-related cDNA
clones in Cos 1 cells: evidence for a phos-
phatidylinositol linkage to the cell mem-
brane (36) 322
- Wiegand, S.J., see Hoffman, G.E. (36) 201
- Wu, T., see Wang, H.-L. (36) 29
- Wusher, N., see Cloëz-Tayarani, I. (36) 337
- Young, P.R., see Fan, L. (36) 287
- Young, W.S., see Margolis, R.L. (36) 219
- Zachrisson, O., Falkenberg, T. and Lindefors,
N.
Neuronal coexistence of *trkB* and glutamic
acid decarboxylase₆₇ mRNAs in rat hip-
pocampus (36) 169